



Fitting Instructions for RAD0065 Radiator Guard
HONDA CBR1000RR '08- & CBR1000RR SP '14-'16 including ABS Models



In This Kit There Should Be
1x Radiator Guard (RAD0065)
2x Cable Ties
2x 100mm Lengths of self-adhesive Foam

TOOLS REQUIRED

- 8mm open ended spanner.
- Cable cutters.

FITTING INSTRUCTIONS

- To fit the radiator guard to the bike cut the foam strips provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the single mounting bolt located at the bottom of the radiator.
- Place the cable ties through the two top mounting brackets on the R&G Radiator Guard.
- *If fitting to a model with ABS, loosen the 8mm bolt that secures the ABS bracket in place on the top left of the radiator to allow the ABS bracket to rotate forwards to improve access for fitting of the radiator guard.*



- Fit the radiator guard into position and tighten the two cable ties on the two top mounts around radiator mounts and fix the lower mount in place by fitting the original mounting bolt previously removed.
- *If fitting to a model with ABS, tighten the bolt that secures the ABS bracket in place in it's original position.*

ISSUE 2 29/11/2016 (AR)

Digital copies of these instructions are available to download from www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



NOTICE DE MONTAGE POUR RAD0065 GRILLE DE PROTECTION
RADIATEUR
HONDA CBR1000RR '08- & CBR1000RR SP '14-'16 comprenant les modèles ABS



Le kit doit contenir

- 1x Grille de protection radiateur (RAD0065)
- 2x Colliers de serrage
- 2x 100mm Longueurs de mousse autocollante

OUTILS REQUIS

- Clé plate 8mm.
- Pince coupante.

NOTICE DE MONTAGE

- Pour monter la grille de protection radiateur sur la moto, couper la mousse fournie en bandeaux de 10mm de large et collez les au bas du cadre de grille de protection radiateur, de façon à ce qu'ils se placent entre la grille de protection radiateur et le radiateur.
- Enlever l'unique boulon de fixation placé au bas du radiateur.
- Placer les colliers de serrage dans les 2 supports de fixation supérieurs sur la grille de protection R&G.



- *Si l'installation se fait sur un modèle ABS, desserrer le boulon 8mm qui fixe le support ABS en place sur le coté gauche supérieur du radiateur, pour permettre au support ABS de tourner vers l'avant pour faciliter l'accès nécessaire à l'installation de la grille de protection radiateur.*
- *Monter la grille de protection radiateur en place puis serrer les 2 colliers de serrage sur les 2 supports supérieurs autour des supports de radiateur puis fixer le support inférieur en place en insérant le boulon de fixation d'origine enlevé précédemment.*
- *Si l'installation se fait sur un modèle ABS, serrer le boulon qui fixe le support ABS en place dans sa position d'origine.*

ISSUE 2 29/11/2016 (AR)

Notice disponible au téléchargement sur www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com