



**Fitting Instructions for SRG0010SS Radiator Guard**  
**APRILIA CAPONORD 1200 2013**



**In This Kit There Should Be**  
**1x Radiator Guard (SSRAD0010).**  
**2x 100mm Lengths of self-adhesive Foam.**  
**4x Cable Ties**

**TOOLS REQUIRED**

- Socket set to include 8 and 10mm sockets & wrench.



PICTURE 1



PICTURE 2



PICTURE 3



PICTURE 4



PICTURE 5

### **FITTING INSTRUCTIONS**

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator (also between the guard and the oil cooler).
- Remove the nut arrowed in picture 1.
- Offer the radiator guard into position as shown in top picture.
- Secure the bottom mounting bracket as shown in picture 1 using the original nut.
- Use the four cable ties to secure the radiator into position as shown in pictures 2, 3, 4 and 5.

ISSUE 1 28/05/2013 (NSY)

### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect.

Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



**Instructions de montage SRG0010SS Grille de protection radiateur  
APRILIA CAPONORD 1200 2013**



**Le kit doit contenir:**

- 1 x Grille de protection radiateur (SSRAD0010).
- 2x 100mm Mousse autocollante
- 4x Colliers de serrage

**Outils requis**

- Jeu de clés de 8 et 10mm



PHOTO 1



PHOTO 2



PHOTO 3



PHOTO 4



PHOTO 5

**Instructions de montage:**

- Couper la mousse en bandeaux de 10mm puis collez ces bandeaux au bas du support de protection radiateur, de façon à ce que ces bandeaux se situent entre la protection radiateur et le radiateur (entre la protection et le refroidisseur d'huile également).
- Enlever l'écrou (Photo 1).
- Mettre la grille R&G en position (photo du haut).
- Fixer le support de fixation du bas (Photo 1) en utilisant l'écrou d'origine.
- Utiliser les 4 colliers pour fixer le radiateur en position (Photos 2, 3, 4 et 5).

ISSUE 1 28/05/2013 (NSY)

**CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect.

Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

**R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



**Montageanleitung für den SRG0010SS Kühlerschutz**  
**APRILIA CAPONORD 1200 2013**



**Dieser Kit beinhaltet:**  
**1x Kühlerschutz (SSRAD0010)**  
**2x 100mm selbstklebende Schaumstoffstreifen**  
**4 x Kabelbinder**

**SIE BENÖTIGEN FOLGENDES WERKZEUG:**

- Steckschlüssel-Satz inkl. 8 und 10mm Steckschlüssel



ABBILDUNG 1



ABBILDUNG 2





ABBILDUNG 3




ABBILDUNG 4



ABBILDUNG 5

## MONTAGEANLEITUNG

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breite Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind (auch zwischen dem Kühlerschutz und dem Ölkühler).
- Entfernen Sie die Mutter, die in Abbildung 1 abgebildet ist.
- Den Kühlerschutz in Position anbringen, wie in der oberen Abbildung abgebildet.
- Die untere Montagehalterung mit der Originalmutter befestigen – siehe Abbildung 1.
- Verwenden Sie die vier Kabelbinder, um den Kühlerschutz in Position zu befestigen – siehe Abbildungen 2, 3, 4 und 5.

AUSGABE 1 28/05/2013 (NSY)

### CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect.

Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

### R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.